

Mechanical Creep Behavior of Materials: A Comprehensive Review

By DR. MK K

Abstract:

Mechanical creep is a time-dependent deformation phenomenon observed in materials subjected to constant or sustained mechanical loads at elevated temperatures. This paper presents a comprehensive review of mechanical creep, covering its fundamental principles, influencing factors, and implications across various engineering disciplines. We discuss the mechanisms of creep deformation, methods of creep testing, and the effects of temperature and stress on creep behavior. Additionally, we explore recent advancements in modeling and predicting creep in materials and components, as well as its significance in engineering applications.

1. Introduction

Mechanical creep is a critical consideration in engineering design and materials selection, especially in applications involving elevated temperatures and long-term mechanical loading. Understanding the mechanisms and behavior of creep is crucial for ensuring the safety and reliability of structures and components exposed to such conditions. This paper provides an in-depth examination of mechanical creep, its causes, testing methods, and significance in engineering practice.

2. Fundamentals of Mechanical Creep

2.1 Definition

Mechanical creep is the time-dependent deformation of materials under a sustained or constant mechanical load, typically occurring at elevated temperatures. Unlike instantaneous elastic deformation, creep deformation takes place gradually over time and may lead to permanent changes in shape and dimensions.

2.2 Mechanisms of Creep Deformation

Creep deformation is governed by several mechanisms, including:

- Dislocation creep: Movement of dislocations within the material's crystal structure.
- Diffusion creep: Migration of atoms or molecules through the crystal lattice.
- Grain boundary sliding: Sliding of grains or crystal boundaries relative to each other.

3. Factors Influencing Creep Behavior

The creep behavior of materials is influenced by various factors, such as temperature, stress level, material composition, and microstructure. Elevated temperatures are a primary driver of creep, as they

enhance atomic mobility and facilitate the deformation mechanisms mentioned above. Higher stress levels and longer exposure times also exacerbate creep deformation.

4. Creep Testing

Creep testing is essential for characterizing a material's creep behavior and predicting its performance under specific conditions. Common creep testing methods include constant load tests, constant stress tests, and constant strain tests. These tests help establish creep curves, which illustrate the relationship between creep strain and time.

5. Effects of Temperature and Stress

Temperature and stress play pivotal roles in creep behavior. Higher temperatures promote faster creep rates, while higher stresses accelerate creep deformation. The Larson-Miller parameter is a widely used empirical relation to predict creep life based on temperature and stress.

6. Engineering Applications

6.1 Power Generation

Creep-resistant materials are crucial in power generation industries, such as nuclear and fossil fuel power plants, where components operate at elevated temperatures and under continuous mechanical loads.

6.2 Aerospace

Aerospace applications, including gas turbine engines and aircraft components, require materials with excellent creep resistance to withstand high-temperature and high-stress conditions.

6.3 Structural Engineering

In civil engineering, creep considerations are vital for the long-term performance of concrete structures and bridges, particularly in high-temperature environments.

7. Recent Advancements and Emerging Trends

Advancements in materials science, including the development of superalloys and composite materials with enhanced creep resistance, have expanded the possibilities for high-temperature applications. Additionally, sophisticated modeling and simulation techniques enable engineers to predict and mitigate creep-related issues in complex structures more effectively.

8. Conclusion

Mechanical creep is a complex and time-dependent deformation phenomenon that has significant implications in various engineering disciplines. A comprehensive understanding of the mechanisms, factors, and testing methods associated with creep behavior is essential for designing materials and structures that can withstand prolonged exposure to elevated temperatures and mechanical loads. As technology continues to advance, the ability to predict and control creep deformation will remain critical for ensuring the safety and reliability of engineering components and systems.

References

- [1] citations, (n.d.).
- [2] M. Al Ali, M. Al Ali, A.Y. Sahib, R.S. Abbas, Design Micro-piezoelectric Actuated Gripper for Medical Applications, in: Proc. 6th IIAE Int. Conf. Ind. Appl. Eng. 2018, The Institute of Industrial Application Engineers, 2018: pp. 175–180. <https://doi.org/10.12792/iciae2018.036>.
- [3] M. Torisaki, M. Shimoda, M. Al Ali, Shape optimization method for strength design problem of microstructures in a multiscale structure, *Int. J. Numer. Methods Eng.* (2022).
- [4] M. Al Ali, Toward fully autonomous structure design based on topology optimization and image processing, in: Proc. 6th IIAE Int. Conf. Intell. Syst. Image Process., The Institute of Industrial Applications Engineers, 2018.
- [5] M. Torisaki, M. Shimoda, M. Al Ali, Shape optimization method for strength design problem of microstructures in a multiscale structure, *Int. J. Numer. Methods Eng.* 124 (2023) 1748–1772. <https://doi.org/10.1002/nme.7186>.
- [6] M. Al Ali, M. Al Ali, R.S. Saleh, A.Y. Sahib, Fatigue Life Extending For Temporomandibular Plate Using Non Parametric Cascade Optimization, in: Proc. World Congr. Eng. 2019, 2019: pp. 547–553. http://www.iaeng.org/publication/WCE2019/WCE2019_pp547-553.pdf.
- [7] Musaddiq Al Ali, Toward fully autonomous structure design based on topology optimization and image processing, in: Proc. 6th IIAE Int. Conf. Intell. Syst. Image Process. 2018, 2018: pp. 1–7.
- [8] M. Fujioka, M. Shimoda, M. Al Ali, Concurrent shape optimization of a multiscale structure for controlling macrostructural stiffness, *Struct. Multidiscip. Optim.* 65 (2022) 211. <https://doi.org/10.1007/s00158-022-03304-y>.
- [9] M. Fujioka, M. Shimoda, M. Al Ali, Concurrent Shape Optimization for Multiscale Structure with Desired Static Deformation, *Proc. Comput. Mech. Conf.* 2021.34 (2021) 3. <https://doi.org/10.1299/jsmecmd.2021.34.003> (in Japanese).
- [10] M. Al Ali, A. Takezawa, M. Kitamura, Comparative study of stress minimization using topology optimization and morphing based shape optimization comparative study of stress minimization using topology optimization and morphing based shape optimization, (2019).

- [11] M. Al Ali, M. Shimoda, Hygrally activated displacement inverter using a multiphysics multiscale topology optimization with considering evaporation, *Struct. Multidiscip. Optim.* 66 (2023) 1–16.
- [12] M. Torisaki, M. Shimoda, M. Al Ali, Shape optimization method for strength design problem of microstructures in a multiscale structure, *Int. J. Numer. Methods Eng.* 124 (2023) 1748–1772. <https://doi.org/10.1002/nme.7186>.
- [13] M. Al Ali, A.Y. Sahib, M. Al Ali, Teeth implant design using weighted sum multi-objective function for topology optimization and real coding genetic algorithm, in: 6th IIAE Int. Conf. Ind. Appl. Eng. 2018, The Institute of Industrial Applications Engineers, Japan, 2018: pp. 182–188. <https://doi.org/10.12792/iciae2018.037>.
- [14] R.S. Abass, M. Al Ali, M. Al Ali, Shape And Topology Optimization Design For Total Hip Joint Implant, in: *Proc. World Congr. Eng.*, 2019. http://www.iaeng.org/publication/WCE2019/WCE2019_pp559-564.pdf.
- [15] M. Al Ali, M. Shimoda, Toward multiphysics multiscale concurrent topology optimization for lightweight structures with high heat conductivity and high stiffness using MATLAB, *Struct. Multidiscip. Optim.* 65 (2022) 207.
- [16] M. Al Ali, M. Shimoda, Toward Concurrent Multiscale Topology Optimization for High Heat Conductive and Light Weight Structure, in: S. Koshizuka (Ed.), 15th World Congr. Comput. Mech. 8th Asian Pacific Congr. Comput. Mech., CIMNE, 2022: p. 12. <https://doi.org/10.23967/wccm-apcom.2022.118>.
- [17] M. Al Ali, M. Shimoda, B. Benaissa, M. Kobayashi, Concurrent Multiscale Hybrid Topology Optimization for Light Weight Porous Soft Robotic Hand with High Cellular Stiffness, in: *Proc. Int. Conf. Steel Compos. Eng. Struct. ICSCES 2022*, 2023: pp. 265–278. https://doi.org/10.1007/978-3-031-24041-6_22.
- [18] M. Fujioka, M. Shimoda, M. Al Ali, Concurrent shape optimization of a multiscale structure for controlling macrostructural stiffness, *Struct. Multidiscip. Optim.* 65 (2022) 1–27. <https://doi.org/10.1007/s00158-022-03304-y>.
- [19] M. Shimoda, M. Umemura, M. Al Ali, R. Tsukihara, Shape and topology optimization method for fiber placement design of CFRP plate and shell structures, *Compos. Struct.* 309 (2023) 116729. <https://doi.org/10.1016/j.compstruct.2023.116729>.
- [20] M.S. Musaddiq Al Ali, Toward Concurrent Multiscale Topology Optimization for High Heat Conductive and Light Weight Structure, in: 15th World Congr. Comput. Mech. 8th Asian Pacific Congr. Comput. Mech., 2022: pp. 1–12. <https://doi.org/10.23967/wccm-apcom.2022.118>.
- [21] N. Amoura, B. Benaissa, M. Al Ali, S. Khatir, Deep Neural Network and YUKI Algorithm for Inner Damage Characterization Based on Elastic Boundary Displacement, in: *Proc. Int. Conf. Steel Compos. Eng. Struct. ICSCES 2022*, 2023: pp. 220–233.
- [22] M. Al Ali, A.Y. Sahib, M. Al Ali, Design Light Weight Emergency Cot With Enhanced Spinal Immobilization Capability, in: 6th Asian/Australian Rotorcr. Forum Heli Japan, 2017: pp. 1–11. <https://vtol.org/store/product/design-light-weight-emergency-cot-with-enhanced-spinal-immobilization-capability-12410.cfm>.
- [23] M. Al Ali, Design offshore spherical tank support using shape optimization, in: *Proc. 6th IIAE Int. Conf. Intell. Syst. Image Process.*, 2018. doi: 10.12792/icisip2018.051.

- [24] M.S. Musaddiq Al Ali, Concurrent Multiscale Topology Optimization for Designing Displacement Inverter, in: 15th World Congr. Comput. Mech. 8th Asian Pacific Congr. Comput. Mech., 2022: pp. 1–10. <https://doi.org/10.23967/wccm-apcom.2022.027>.
- [25] P.M. Shimoda, M. Al Ali, C.A. Secondary, C. Author, M. Al Ali, M. Shimoda, M. Al Ali, Structural and Multidisciplinary Optimization Concurrent multiscale multiphysics topology optimization for porous composite structures under hygral loading, (n.d.).
- [26] D. Remache, F. Dadouaille, S. Lhabitant, D. Falandry, A. Toufine, M. Al Ali, G. Cohen, Numerical Analysis and Experimental Investigation of High Cycle Fatigue Behavior in Additively Manufactured Ti–6Al–4V Alloy, *Buildings*. 13 (2023) 2011. <https://doi.org/10.3390/buildings13082011>.
- [27] R.S. Abass, M. Al Ali, M. Al Ali, Shape And Topology Optimization Design For Total Hip Joint Implant, in: *World Congr. Eng.* 2019, 2019.
- [28] M. Al Ali, M. Al Ali, A.Y. Sahib, R.S. Abbas, Design micro piezoelectric actuated gripper for medical applications, in: *Proc. 6th IIAE Int. Conf. Ind. Appl. Eng. Japan*, 2018: pp. 175–180.
- [29] M. Al Ali, M. Shimoda, Toward multiphysics multiscale concurrent topology optimization for lightweight structures with high heat conductivity and high stiffness using MATLAB, *Struct. Multidiscip. Optim.* 65 (2022) 1–26. <https://doi.org/10.1007/s00158-022-03291-0>.
- [30] M. Al Ali, M. Shimoda, B. Benaissa, M. Kobayashi, Non-parametric optimization for lightweight and high heat conductive structures under convection using metaheuristic structure binary-distribution method, *Appl. Therm. Eng.* 233 (2023) 121124. <https://doi.org/10.1016/J.APPLTHERMALENG.2023.121124>.
- [31] M. Al Ali, M. Shimoda, On concurrent multiscale topology optimization for porous structures under hygro-thermo-elastic multiphysics with considering evaporation, *Int. J. Numer. Methods Eng.* 124 (2023) 3219–3249. <https://doi.org/10.1002/nme.7245>.
- [32] M.A. Al-Ali, M.A. Al-Ali, A. Takezawa, M. Kitamura, Topology optimization and fatigue analysis of temporomandibular joint prosthesis, *World J. Mech.* 7 (2017) 323–339.
- [33] M. Shimoda, M. Hikasa, M. Al Ali, Micropore shape optimization of porous laminated shell structures, *Addit. Manuf.* 69 (2023) 103530. <https://doi.org/10.1016/j.addma.2023.103530>.
- [34] M. Fujioka, M. Shimoda, M. Al Ali, Shape optimization of periodic-microstructures for stiffness maximization of a macrostructure, *Compos. Struct.* 268 (2021) 113873. <https://doi.org/10.1016/j.compstruct.2021.113873>.
- [35] M. Al Ali, A. Takezawa, M. Kitamura, Comparative study of stress minimization using topology optimization and morphing based shape optimization comparative study of stress minimization using topology optimization and morphing based shape optimization, in: *Asian Congr. Struct. Multidiscip. Optim.*, 2018. https://www.researchgate.net/profile/Musaddiq-Al-Ali-2/publication/324559492_Comparative_Study_of_Stress_Minimization_Using_Topology_Optimization_and_Morphing_Based_Shape_Optimization/links/5d6467ac92851c619d781329/Comparative-Study-of-Stress-Minimization.
- [36] M. Al Ali, M. Shimoda, Investigation of concurrent multiscale topology optimization for designing lightweight macrostructure with high thermal conductivity, *Int. J. Therm. Sci.* 179 (2022) 107653. <https://doi.org/10.1016/j.ijthermalsci.2022.107653>.

